

## PUBLICATIONS RESULTING FROM THIS GRANT

1994 Levin, L.A., G. Plaia and C. Huggett. The influence of natural organic enhancement on life histories and population structure of bathyal polychaetes. In C. Young and K. Eckelbarger, eds. Invertebrate reproduction, larval biology and recruitment in the deep-sea benthos. Columbia Univ. Press, New York, pp. 261-283

1994 Levin, L.A. Paleoecology and ecology of xenophyophores. *Palaios* 9: 32-41.

1994 Levin, L.A., E.L. Leithold, T.F. Gross, C.L. Huggett, and C. DiBacco. Contrasting effects of substrate mobility on macrofaunal assemblages inhabiting two high-energy settings on Fieberling Guyot. *J. Mar. Research* 52: 489-522.

1995 Wishner, K.F., C.J. Ashjian, C. Gelfman, M. Gowing, L. Kann, L.A. Levin, L.S. Mullineaux, and J. Saltzman. in press. Pelagic and benthic ecology of the lower interface of the eastern tropical Pacific oxygen minimum zone. *Deep-Sea Res.* 42: 93-115

1995 Levin, L.A. and C. DiBacco. The influence of sediment transport on short-term recolonization by seamount infauna. *Mar. Ecol. Progr. Ser.* 123: 163-175.

1997. Levin, L. and S. Edesa. The ecology of cirratulid mudballs on the Oman Margin. *Marine Biology* 128: 671-678.

In Press. Levin, L.A., J. Gage, P. Lamont, L. Cammidge, A. Patience and C. Martin. Infaunal community structure in a low-oxygen organic rich habitat on the Oman margin. In: L. Hawkins, S. Hutchinson, A. Jenson, J. Williams and M. Sheader, eds. *Responses of Marine Organisms to Their Environment*. 30th European Marine Biology Symposium. Southampton, Southampton Oceanography Centre.

In Press. Thistle, D. and L. Levin. The effect of experimentally increased near-bottom flow on metazoan meiofauna at a deep-sea site, with comparison data on macrofauna. *Deep-Sea Research*.

In Press. Levin, L.A. and J.D. Gage. Relationships between oxygen, organic matter and the diversity of bathyal macrofauna. *Deep-Sea Research*.

19971117 073

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average one hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 11/10/97		3. REPORT TYPE AND DATES COVERED Final Technical Report
4. TITLE AND SUBTITLE Control of Benthic Processes by Oxygen and Topography			5. FUNDING NUMBERS N00014-92-J-1857	
6. AUTHOR(S) Lisa A. Levin, Professor of Oceanography				
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) Marine Life Research Group Scripps Institution of Oceanography University of California, San Diego			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Biological/Chemical Oceanography Program 800 North Quincy Street Arlington, VA 22217-5500			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT No limitations		<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>DISTRIBUTION STATEMENT A</b>  <b>Approved for public release</b>  <b>Distribution Unlimited</b> </div>		12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) Studies of bathyal settings in the Pacific and Indian Oceans indicate that macrobenthic communities are strongly influenced by abiotic factors including topography-induced flow, substrate mobility, bottom-water oxygen availability and organic-matter inputs. Mensurative and manipulative experiments conducted on Fieberling Guyot demonstrated that infaunal species composition, lifestyles, living positions, and colonization rates and mechanisms vary with sediment transport regime. Studies of the benthic fauna within oxygen minimum zones of the Oman margin (NW Arabian Sea) and on a seamount in the eastern Pacific suggest that oxygen and organic loading together affect macrobenthic species composition, diversity, and bioturbation potential. Strong zonation of mega- and macrobenthic communities was observed across the lower boundary of both oxygen minimum zones. Multiple regression of bathyal macrobenthic data from the Pacific and Indian Oceans indicate that together depth, latitude, sediment organic-carbon content and bottom-water oxygen concentration explain 52-87% of variation in measures of species diversity. Within oxygen minimum zones, bottom-water oxygen most affects species richness, while organic matter availability controls the distribution of individuals among species (evenness). Further understanding of marine benthic community structure will derive from investigation of interactions among abiotic factors, particularly those influenced by human activity. See attached listing of publications resulting from this grant.				
14. SUBJECT TERMS Pelagic and benthic ecology, macrobenthic communities, Pacific and Indian Oceans			15. NUMBER OF PAGES 2	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unrestricted		18. SECURITY CLASSIFICATION OF THIS PAGE Unrestricted		19. SECURITY CLASSIFICATION OF ABSTRACT Unrestricted
				20. LIMITATION OF ABSTRACT None